Proceedings of Bhavisya Entrepreneur 2025: National Symposium on Entrepreneurship Innovation
ISBN: 978-93-343-9865-6

NSEI/2025/12

Leveraging XAI for diagnosis of critical diseases in village healthcare framework

Dr. Sudeep Ghosh[1], Tridib Chakraborty[2], Suparna Karmakar[3],Khushi Yadav[4]

Information Technology, GNIT

Correspondence email-khusiyadav20049@gmail.com

Abstract- This study presents a primary health care model that is implemented at the community level. It also discusses the use of artificial intelligence (AI) systems and explanation interfaces (XAI) in rural areas, which can aid in the diagnosis of serious problems. In contrast to unexplainable AI, which is referred to as a "black box" and lacks transparency and provides no "explanations" for how a prediction is made, XAI agents the trustworthy prediction by providing justifications for the prediction. Even in the absence of strict medical training, the framework supports rural community health workers in recognizing disease trends, comprehending disease outcomes, and enhancing patient care through interpretable machine learning techniques like SHAP and LIME. The strategy addresses the issues in rural areas (lack of experts, unstructured data, low digital The framework uses interpretable machine learning methods such as SHAP and LIME to support rural community health workers to identify disease patterns, understand disease outcomes, and improve patient care, even without rigorous medical qualifications. The approach meets the rural challenges (shortage of specialists, unstructured data, low digital literacy, and lack of infrastructure) and listing the explanation in a manner people understand can also help to give community health workers credentials, and give trust towards AI results to patients. Becoming aware of diseases like tuberculosis, cardiovascular disease and diabetes - earlier - enables treatment to commence sooner, allowing treatment before disease progression and therefore avoids the dismal prognosis of death. In general, this paper presents an XAI framework that strengthens healthcare delivery in villages by providing dependable, interpretable and actionable AI contributions and therefore enables AI predictions developed from advanced technology to better meet rural medical needs.

I. INTRODUCTION

Residents of rural areas all around the world are constantly lacking the necessary healthcare due to insufficient medical personnel, inadequate infrastructure, and poor internet connectivity. Approximately 2 billion people, constituting around 41.5% of the total population, live in rural areas and suffer from health inequities due to the above-stated factors. Take the case of India, where rural healthcare centers suffer from

ISBN: **978-93-343-9865-6**

inadequate staffing and lack resources, leading to poor outcomes in the diagnosis and management of both communicable and non-communicable chronic diseases.

The growth of technology, and in particular artificial intelligence, has the potential to facilitate the provision of healthcare to rural areas through remote healthcare services and automated diagnostic referral systems, and decision support systems that employ predictive analytics. Much of the developed AI technology, however, tend to function as “black boxes”: that is, the rationale behind the decision reached is unknown to the patients and the healthcare professionals, which erodes trust in the technology and hinders its adoption in rural areas that need it the most.

Trust in AI can be enhanced by XAI systems that justify and clarify the rationale behind the AI system's predictive conclusions, thereby enabling health workers with actionable information while garnering the trust of patients. Unlike general non-contextual AI which can be accurate but not explain its rationale, XAI uses reasoning like methods.

Current research shows that XAI is capable of competing with or surpassing human diagnostic accuracy for illnesses such as tuberculosis, cardiovascular disease, diabetes, cancer, and diabetic retinopathy—areas in which early diagnosis is key to better outcomes. For instance, deep learning algorithms complemented with explanation methods have provided over 90% diagnostic accuracy for diabetic retinopathy and cardiovascular disease in rural communities, with explainable dashboards allowing non-specialists to check and respond to results.

Additionally, XAI's ability to provide transparent decision-making is particularly important in resource-poor settings, where interventions need to be adapted to local epidemiologic, geographical, and social contexts. This promotes more community ownership, accelerated credentialing of local health personnel, and enhanced patient confidence—essential for AI-based intervention uptake. While there is promise, issues need to be addressed. These are infrastructure shortfalls, data quality and standardization issues, ethical and regulatory needs, and training programs to instruct frontline health workers in both AI basics and interpretability tools. These issues need to be resolved through interdisciplinary cooperation and strong policy platforms to ensure equitable and sustainable integration of XAI in rural healthcare systems.

In conclusion, this research posits an exhaustive XAI-enabled village healthcare model, using explainable machine learning to enhance early disease identification, facilitate community health workers, improve patient trust, and eventually enhance medical delivery in underprivileged rural communities.

II. IDENTIFY, RESEARCH AND COLLECT IDEA

- Existing Work Field

Artificial intelligence (AI) has alreadymade advances in the healthcare sector in identifying diseases such as tuberculosis, cancer and cardiovascular disease with a level of accuracy that can be equal to that of professionals (Nature Medicine, 2019). However, most AI models are formed as "black boxes," or systems that will provide predictions, but made without explanation of how the prediction is made. In

ISBN: **978-93-343-9865-6**

the clinical environment, this lack of interpretability can cause doubts about AI, particularly in rural sites where trust in the information provided is needed.

Explainable AI (XAI) can help overcome this problems and is to draw on the transparency and understandability of AI predictions. Different mechanisms exist, such as SHAP (SHapley Additive Explanations) and LIME (Local Interpretable Model-Agnostic Explanations), which provide information about which characteristics of the patient (e.g., age, symptoms, or test values) potentially impact the predictions and diagnostic. This type of explanation helps health care workers determine and ask questions about fact-checked results, facilitates more patient confidence in the outcome, and allows for accountability. By transforming AI into a more usable "glass box," XAI supports the use of AI based diagnoses and enhances the development of early disease identification processes, as well as what information can be provided to rural healthcare workers when making decisions.

- Online Research Data

There is growing use for Explainable AI (XAI) methods, such as SHAP (SHapley Additive Explanations) and LIME (Local Interpretable Model-agnostic Explanations), which may help with greater transparency in healthcare research. The limitation with many traditional AI models is the "black box" algorithm and its predictions. SHAP gives the importance values of each feature and how each input factor (blood test results, age of patient, imaging pattern etc.) contributed to the ultimate decision or prediction pertaining to a diagnosis, and, thus, clinicians and healthcare workers can clearly see how the model arrived at a diagnosis.

LIME (Local Interpretable Model-agnostic Explanations) attacks this notion by creating a simplified and understandable model that approximates the performance of a complex algorithm that is easily understood by humans. With these tools, researchers internationally are creating more transparent, trusted, and accountable AI-assistance diagnosis systems. In healthcare, online sources such as PubMed, and databases such as IEEE Xplore, indicate that utilization of SHAP and LIME in the literature is increasing rapidly in studies, including cancer detection diagnosis, cardiovascular risk prediction, and infectious disease screening models.

- Conferences, Workshops, and Symposia Insight
  - *IEEE International Conference on Explainable AI in Healthcare (2022)* emphasized that XAI builds trust among medical professionals and is critical for adoption in low-resource environments.
    - Rural health tech workshops in India (AIIMS & IIT collaborations, 2021–22) focused on AI-driven diagnostic apps but highlighted lack of interpretability as a barrier to real implementation.
- Understanding Scientific Terms And Jagrons
  - Black-box AI → Models whose internal decision-making is not visible.
  - XAI → Techniques to interpret model predictions.
  - Critical Diseases → Life-threatening conditions such as cancer, cardiovascular diseases, TB, and chronic respiratory illnesses.

ISBN: **978-93-343-9865-6**

- Rural Healthcare Framework → Primary health centers (PHCs), ASHA workers, and telemedicine systems forming the backbone of village healthcare.

III. WRITE DOWN YOUR STUDIES AND FINDINGS

Although there are many opportunities for artificial intelligence (AI) in the healthcare field, especially in the areas of detecting and diagnosing illness, The Iheka Institute posits the integration of AI into rural and resource thin areas continues to lag due to the opaque state of information AI systems are surrounded by. Virtually all AI systems are opaque and, therefore, treated as "black boxes". AI systems generate outputs and, in the process, fail to outline the steps leading to the conclusion. The absence of interpretability in models, especially in the medical field, raises doubts. Medical practitioners might become reluctant to wield instruments surrounded by ignorance. SHAP (SHapley Additive Explanations) and LIME (Local Interpretable Model-Agnostic Explanations) are XAI techniques that focus on resolving this paradox as they endeavor to 'open up' the 'black boxes' of models. Rather than simple outputs, these tools focus on how certain clinical parameters, clinical features, or imaging data associated with a given prediction are pivotal in making that prediction. In the context of rural healthcare systems, this approach to AI is significant. It allows physicians to augment technology facilitated AI diagnoses and offer explanations that are contextually relevant.

Additionally, using Explainable AI (XAI) boosts confidence, accountability, and trust in these medical technologies. This increases the likelihood that they will be utilized frequently in small clinics and villages. Furthermore, XAI successfully detects severe illnesses at an early stage, including diabetes, heart disease, and tuberculosis, which are among the main causes of death in rural regions. Early detection of these problems lowers the long-term financial burden on families and communities while also increasing survival rates. Additionally, XAI motivates patients to take a more active role in their treatment. When they are given concise, intelligible explanations for a diagnosis or treatment recommendation, they are more likely to follow their treatment plans, take preventative action, and trust medical advice.

Effective scaling of these solutions is still difficult, though. The integration of AI in rural health systems is severely hampered by issues like inadequate internet connectivity, a lack of trained staff, inadequate digital literacy, and a lack of healthcare infrastructure. Nevertheless, studies indicate that integrating XAI with telemedicine platforms and mobile health apps can produce a workable, scalable, and affordable model for enhancing primary healthcare delivery in underprivileged areas. XAI has the potential to enhance diagnostic precision and promote sustainable and fair healthcare access in rural areas by integrating transparency and interpretability into AI systems.

IV. CONCLUSION

Along with improving healthcare access, the potential benefits of XAI for rural health care include strengthening transparency and confidence in the diagnostic process. It also should minimize the need for specialized practitioners, facilitate quicker diagnostics for patients with life-threatening conditions, and assist

ISBN: **978-93-343-9865-6**

support personnel in using and understanding the reasoning behind AI systems. By improving the management of health services in rural communities, this model has the capacity to integrate the realities of healthcare in rural settings with contemporary advances in technology.

Also, by providing an explanation, XAI alleviates some of the anxiety patients experience by providing a reasoning to a decision, therefore lessening the anxiety patients experience regarding technology making an error. Also, XAI assists in tiered capacity building by allowing community health workers to perform actions based on AI outputs without having to possess complex medical knowledge. XAI is an additional component to telemedicine networks, in association with mobile health applications, to enable equitable access to diagnostic support in remote areas with inadequate infrastructure.

Ultimately, XAI enables the most efficient rationing and targeting of scarce medical resources, which leads to earlier detection and, therefore, cheaper treatment of life-threatening conditions.

REFERENCES

1) Ahmed, M., & Khan, S. (2024). Application Of Explainable Ai Techniques For Disease Diagnosis In Low-Resource Settings. *Journal Of Medical Systems, 48*(3), Article 31. Https://Doi.Org/10.1007/S10916-023-01940-W
2) Alkhanbouli, R. (2025). The Role Of Explainable Artificial Intelligence In Disease Diagnosis: A Survey. *Frontiers In Artificial Intelligence.* Https://Www.Ncbi.Nlm.Nih.Gov/Pmc/Articles/Pmc11877768/
3) El-Geneedy, M. (2025). A Comprehensive Explainable Ai Approach For Enhancing Medical Practitioner Support. *Scientific Reports.* Https://Doi.Org/10.1038/S41598-025-11263-9
4) FUHRMAN, J. D. (2021). AREVIEW OF EXPLAINABLE AND INTERPRETABLE AI WITH APPLICATIONS IN *A.* Covid-19 Disease Evaluation. *STATISTICS IN MEDICINE.* References
5) Ahmed, M., & Khan, S. (2024). Application Of Explainable Ai Techniques For Disease Diagnosis In Low-Resource Settings. *Journal Of Medical Systems, 48*(3), Article 31. Https://Doi.Org/10.1007/S10916-023-01940-W
6) Alkhanbouli, R. (2025). The Role Of Explainable Artificial Intelligence In Disease Diagnosis: A Survey. *Frontiers In Artificial Intelligence.* Https://Www.Ncbi.Nlm.Nih.Gov/Pmc/Articles/Pmc11877768/
7) El-Geneedy, M. (2025). A Comprehensive Explainable Ai Approach For Enhancing Medical Practitioner Support. *Scientific Reports.* Https://Doi.Org/10.1038/S41598-025-11263-9
8) FUHRMAN, J. D. (2021). AREVIEW OF EXPLAINABLE AND INTERPRETABLE AI WITH APPLICATIONS IN *A.* Covid-19 Disease Evaluation. *Statistics In Medicine. B.* HTTPS://WWW.NCBI.NLM.NIH.GOV/PMC/ARTICLES/PMC8646613/
9) GUNNING, D., & AHA, D. W. (2019). DARPA'S EXPLAINABLE ARTIFICIAL INTELLIGENCE (XAI) *A.* Program. *Ai Magazine, 40*(2), 44–58. Https://Doi.Org/10.1609/Aimag.V40i2.2850
10) Kiseleva, A. (2022). Transparency Of Ai In Healthcare As A Multilayered System: Ensuring Safety, Quality, And Informed Decisions. *Journal Of Healthcare Informatics Research.* Https://Www.Ncbi.Nlm.Nih.Gov/Pmc/Articles/Pmc9189302/
11) Kumar, R., & Singh, A. K. (2023). Overcoming Barriers To Ai Adoption In Rural Healthcare Through Explainability. *International Journal Of Healthcare Technology And Management, 18*(2), 123–138. Https://Doi.Org/10.1504/Ijhtm.2023.126701

ISBN: **978-93-343-9865-6**

12) Lintz, J. (2025). Perspectives From A Rural Medical Center: Healthcare Provider Concerns About Ai. *Journal Of Medical Artificial Intelligence.* Https://Jmai.Amegroups.Org/Article/View/9768/Html
13) LUNDBERG, S. M., & LEE, S. I. (2017). A UNIFIED APPROACH TO INTERPRETING MODEL PREDICTIONS.
A. *ADVANCES IN NEURAL INFORMATION PROCESSING SYSTEMS, 30,* 4765–4774.
B. Https://Arxiv.Org/Abs/1705.07874
14) Perez, L., & Wang, J. (2023). Improving Patient Trust In Ai Diagnostic Systems Using Explainable Models. *Health Informatics Journal, 29*(4), 1–10. Https://Doi.Org/10.1177/14604582231102019
15) Raghupathy, B. K. (2025). Harnessing Shapley Values And Ensemble Techniques For Accurate Alzheimer's Disease Diagnosis. *Emerging Trends In Artificial Intelligence.* Https://Etasr.Com/Index.Php/Etasr/Article/View/9619
16) RIBEIRO, M. T., SINGH, S., & GUESTRIN, C. (2016). "WHY SHOULD I TRUST YOU?": EXPLAINING THE
A. Predictions Of Any Classifier. *Proceedings Of The 22nd Acm Sigkdd International Conference On Knowledge Discovery And Data Mining,* 1135–1144.
B. Https://Doi.Org/10.1145/2939672.2939778
17) Smith, R., & Patel, V. (2023). Interpretable Machine Learning For Improving Rural Health Diagnostics: Challenges And Opportunities. *Biomedical Informatics Insights, 15,* 1–12. Https://Doi.Org/10.1177/11782226231102456
18) STATISTA. (2023). EXPLAINABLE ARTIFICIAL INTELLIGENCE (XAI) MARKET SIZE WORLDWIDE FROM
A. 2022 To 2030. *Statista.* Https://Www.Statista.Com/Statistics/
19) The Lancet. (2020). Reducing Premature Mortality Through Early Diagnosis. *The Lancet Global Health, 8*(11), E1373–E1380. Https://Doi.Org/10.1016/S2214-109x(20)30318-9