

**GURU NANAK INSTITUTE OF TECHNOLOGY**  
**An Autonomous Institute under MAKAUT**  
**2021**

**FORMAL LANGUAGE AND AUTOMATA THEORY (Backlog)**  
**CS403**

**TIME ALLOTTED: 3 HOURS**

**FULL MARKS: 70**

*The figures in the margin indicate full marks.*

*Candidates are required to give their answers in their own words as far as practicable*

**GROUP – A**

**(Multiple Choice Type Questions)**

Answer any **ten** from the following, choosing the correct alternative of each question: **10×1=10**

	<b>Marks</b>	<b>CO No</b>
1. (i) If $R=P+RQ$ then which of the following is true? a) $R=PQ^*$ b) $R=QP^*$ c) $R=P^*Q$ d) $R=Q^*P$	1	CO1
(ii) The Regular Expression representing the set of all strings over $\Sigma=\{0,1\}$ starting with 0 and ending with 01 is a) $0^*(0+1)^*01$ b) $0(0+1)^*01$ c) $001(0+1)^*$ d) $(0+1)^*001$	1	CO2
(iii) Which of the following Regular Expressions over $\{a,b\}$ denotes the set of all strings <b>NOT</b> containing <b>baa</b> as substring a) $a^*(b^*a)^*$ b) $a^*baba^*$ c) $a^*b^*a^*b^*$ d) $a^*(ba+b)^*$	1	CO3
(iv) The set of all strings over the alphabet $S = \{a, b\}$ (including $\epsilon$ ) is denoted by a) $(a + b)^*$ b) $(a + b)^+$ c) $a+b+$ d) $a*b^*$	1	CO3
(v) If $L_1$ and $L_2$ are context free language and $R$ a regular set, then which one of the languages below is not necessarily a context free language? a) $L_1 L_2$ b) $L_1 \cap L_2$ c) $L_1 \cap R$ d) $L_1 \cup L_2$	1	CO3
(vi) Which of the following statement is TRUE? a) Merger graph is a directed graph b) Compatibility graph is a directed graph c) Both merger graph and compatibility graph are directed graphs d) Neither merger graph nor compatibility graph is directed	1	CO2

- |   |   |     |
|---|---|-----|
| (vii) Input sequence of an information lossless machine can be determined from the knowledge of<br>a) Only output sequence<br>b) Output sequence and initial state<br>c) Output sequence and initial state and final state<br>d) Initial state and final state  | 1 | CO3 |
| (viii) Which is NOT a part of the mechanical diagram of 'Turing Machine'?<br>a) Input tape<br>b) read-write head<br>c) Finite Control<br>d) Stack   | 1 | CO3 |
| (ix) Maximum no of states of a DFA converted from a NFA with n states is<br>a) n<br>b) $n^2$<br>c) $2^n$<br>d) None of these  | 1 | CO3 |
| (x) Language of finite automata is<br>a) Type 0<br>b) Type 1<br>c) Type 2<br>d) Type 3  | 1 | CO4 |
| (xi) In Moore machine output is associated with<br>a) present state only<br>b) Next state only<br>c) Present state and input only<br>d) input only  | 1 | CO3 |
| (xii) The following transitions represent<br>$\delta(q_0, a, Z_0) = (q_0, aZ_0)$<br>$\delta(q_0, a, a) = (q_0, aa)$<br>$\delta(q_0, b, a) = (q_1, \epsilon)$<br>$\delta(q_1, b, a) = (q_1, \epsilon)$<br>$\delta(q_1, \epsilon, Z_0) = (q_1, \epsilon)$<br>a) acceptance of $L = \{a^n b^n, n \geq 1\}$ without empty stack<br>b) acceptance of $L = \{a^n b^n, n \geq 0\}$ with empty stack<br>c) acceptance of $L = \{a^n b^n, n \geq 1\}$ with empty stack<br>d) acceptance of $L = \{a^n b^n, n \geq 0\}$ without empty stack | 1 | CO4 |

**GROUP – B**

**(Short Answer Type Questions)**

Answer any *three* from the following: **3×5=15**

- |    |  | <b>Marks</b> | <b>CO No</b> |
|----|--|--------------|--------------|
| 2. | (a) Construct a CFG for palindrome for binary numbers.   | 2            | CO4          |
|    | (b) Construct a CFG for $L = \{a^n b^n c^m d^m \mid m, n > 0\}$  | 3            | CO4          |
| 3. | (a) Define NFA.  | 2            | CO3          |
|    | (b) Design a Finite Automata (FA) that accepts set of all strings over $\Sigma = \{a, b\}$ such that every string ends with aba. | 3            | CO3          |
| 4. | (a) Design a DFA for RE $(0+1)^*(01)(011)^*$   | 3            | CO3          |


- (b) Consider a CFG with the following productions: 2 CO3

P:  $S \rightarrow aSb \mid SS \mid \epsilon$

For the string **aabb**, how many derivation trees are possible?

Explain.

5. Find out the regular expression corresponding to the following DFA: 5 CO3



6. Design a Turing machine for accepting a language 5 CO5  
 $L(G) = \{a^n b^n \mid n \geq 1\}$ .

### GROUP – C

#### (Long Answer Type Questions)

Answer any **three** from the following: **3×15=45**

7. (a) What do you mean by equivalent states and k-equivalent states? 2 CO1  
 (b) Consider the following Machine: 13 CO1




PS	NS, z			
	I <sub>1</sub>	I <sub>2</sub>	I <sub>3</sub>	I <sub>4</sub>
→ A	-	-	E, 1	-
B	C, 0	A, 1	B, 0	-
C	C, 0	D, 1	-	A, 0
D	-	E, 1	B, -	-
E	B, 0	-	C, -	B, 0

Draw the Merger Graph.

Draw the Compatibility Graph.

Find the minimal machine equivalent to the above machine.

8. (a) Draw the DFA equivalent to the following NFA. 6 CO3



- (b) State the differences between Mealy and Moore machine. 3 CO1

- (c) Minimize the following Mealy Machine.

6

CO1

PS	NS, z	
	x = 0	x = 1
A	B, 1	H, 1
B	F, 1	D, 1
C	D, 0	E, 1
D	C, 0	F, 1
E	D, 1	C, 1
F	C, 1	C, 1
G	C, 1	D, 1
H	C, 0	A, 1

9. (a) What is information lossless machine?

2

CO2

- (b) Consider the following Machine:

6

CO2

PS	NS, z	
	x=0	x=1
→ A	A,0	B,0
B	C,0	D,0
C	D,1	C,1
D	B,1	A,1

For the above machine determine whether it is lossless or lossy. If it is lossless of finite order, determine its order.

- (c) Prove that  $L = \{w \mid w \text{ is a palindrome over } \{0, 1\}\}$  is not regular. 5 CO3
- (d) Write regular expression for the language such that every string will have at least one 'a' followed by at least one 'b' 2 CO3
- 10 (a) Define CFG and write down its properties. 4 CO3
- (b) What is parse tree? 1 CO3
- (c) Consider the grammar  $G = (V_n, V_t, P, S)$ , where  
 $V_n = \{S\}$   $V_t = \{a, b, c\}$   
 $P: S \rightarrow aSa$   
 $S \rightarrow bSb$   
 $S \rightarrow c$   
 Find out the language for this CFG. 2 CO3
- (d) Consider the following grammar with production rule  
 $P: S \rightarrow aA, S \rightarrow b/\epsilon$   
 Remove the  $\epsilon$ -production from the above grammar. 3 CO4
- (e) Design a PDA for the language  $L = \{ww^R \mid w \in \{a,b\}^+\}$ . Show the instantaneous descriptions (IDs) for the string **abba** for this language  $L(w) = \{ww^R \mid w \in \{a,b\}^+\}$ . 5 CO4
- 11 Write short notes on any **three** from the following:  $3 \times 5 = 15$
- (a) Chomsky classification of grammar 5 CO4
- (b) Halting problem of Turing Machine 5 CO5
- (c) Push-down Automata 5 CO5
- (d) Left-most and Right-most Derivation 5 CO3
- (e) Ambiguity in grammar 5 CO3